




外形尺寸 (CAD) DIMENSIONS


25YS/YR01

圆轴电机 重量:1.6kg
Round-axis motor, weight:1.6kg



25YS/YR02


组合:电机+标准减速机(减速比:1:3~200) 重量:2.3kg
Combination: motor+standard gearbox (reduction ratio: 1:3~200), weight: 2.3kg



减速比/reduction ratio	≤25	L ₁ =32
减速比/reduction ratio	>25	L ₂ =43.5


25YS/YR03

组合:电机+中间减速箱+标准减速机(减速比:1:200~1800) 重量:2.8kg
Combination: motor+Intermediate gearbox+standard gearbox (reduction ratio: 1:200~1800), weight: 2.8kg




25YS/YR04

组合:电机+直角中实减速箱(减速比:1:3~200) 重量:3.8kg
Combination: motor+right angle solid gearbox (reduction ratio: 1:3~200), weight: 3.8kg





25YS/YR05

组合:电机+中间减速箱+直角中实减速箱(减速比:1:200~1800) 重量:4.3kg
Combination: motor+intermediate gearbox+right angle solid gearbox (reduction ratio: 1:200~1800), weight: 4.3kg





外形尺寸 (CAD) DIMENSIONS









25YS/YR06

组合:电机+直角中空减速箱(减速比:1:3~200) 重量:3.7kg
Combination: motor+right angle hollow gearbox (reduction ratio: 1:3~200),
weight: 3.7kg

25YS/YR07

组合:电机+中间减速箱+直角中空减速箱
(减速比:1:200~1800) 重量:4.2kg
Combination: motor+intermediate gearbox+right angle hollow gearbox
(reduction ratio: 1:200~1800), weight: 4.2kg




外形尺寸 (CAD) DIMENSIONS

25YT01

圆轴电机 重量:1.7kg


Round-axis motor, weight: 1.7kg



25YT02

组合:电机+标准减速机(减速比:1:3~200) 重量:2.4kg

Combination: motor+standard gearbox(reduction ratio:1:3~200),
weight:2.4kg





减速比/reduction ratio	≤ 25	$L_1=32$
减速比/reduction ratio	> 25	$L_2=43.5$

25YT03

组合:电机+中间减速箱+标准减速机(减速比:1:200~1800) 重量:2.9kg


Combination: motor+intermediate gearbox+standard gearbox(reduction ratio:1:200~1800), weight:2.9kg



25YT04

组合:电机+直角中实减速箱(减速比:1:3~200) 重量:3.8kg


Combination: motor+right angle solid gearbox(reduction ratio:1:3~200),
weight:3.8kg



25YT05



组合:电机+中间减速箱+直角中实减速箱
(减速比:1:200~1800) 重量:4.3kg

Combination: motor+intermediate gearbox+right angle solid gearbox(reduction ratio: 1: 200~1800), weight: 4.3kg








外形尺寸 (CAD) DIMENSIONS



25YT06




组合:电机+直角中空减速箱(减速比:1:3~200) 重量:3.7kg
Combination: motor+right angle hollow gearbox(reduction ratio:1:3~200), weight:3.7kg



孔用弹性挡圈槽
Circlip groove for hole

25YT07

组合:电机+中间减速箱+直角中空减速箱(减速比:1:200~1800) 重量:4.2kg
Combination: motor+intermediate gearbox+right angle hollow gearbox(reduction ratio:1:200~1800), weight:4.2kg



孔用弹性挡圈槽
Circlip groove for hole




外形尺寸 (CAD) DIMENSIONS

25YB01

圆轴电机 重量:2kg


Round-axis motor, weight:2kg



25YB02

组合:电机+标准减速机(减速比:1:3~200) 重量:2.7kg

Combination: motor+standard gearbox(reduction ratio:1:3~200), weight:2.7kg





减速比/reduction ratio	≤25	L ₁ =32
减速比/reduction ratio	>25	L ₂ =43.5

25YB03

组合:电机+中间减速箱+标准减速机(减速比:1:200~1800) 重量:3.2kg


Combination: motor+intermediate gearbox+standard gearbox(reduction ratio:1:200~1800), weight:3.2kg



25YB04

组合:电机+直角中实减速箱(减速比:1:3~200) 重量:3.8kg


Combination: motor+right angle solid gearbox(reduction ratio:1:3~200), weight:3.8kg



25YB05



组合:电机+中间减速箱+直角中实减速箱
(减速比:1:200~1800) 重量:4.3kg

Combination: motor+intermediate gearbox+right angle solid gearbox(reduction ratio:1:200~1800), weight:4.3kg







外形尺寸(CAD) DIMENSIONS





25YB06

组合:电机+直角中空减速箱(减速比:1:3~200)重量:3.7kg
Combination: motor+right angle hollow gearbox (reduction ratio: 1:3~200), weight: 3.7kg



25YB07

组合:电机+中间减速箱+直角中空减速箱(减速比:1:200~1800)重量:4.2kg
Combination: motor+intermediate gearbox+right angle hollow gearbox (reduction ratio: 1:200~1800), weight: 4.2kg






外形尺寸 (CAD) DIMENSIONS


40/60YS/YR/YT/YB/YF01

圆轴电机 重量:2.5kg
Round-axis motor, weight:2.5kg



40/60YS/YR/YT/YB/YF02


组合:电机+标准减速机(减速比:1:3~200) 重量:3.7kg
Combination: motor+standard gearbox (reduction ratio:1:3~200), weight:3.7kg



减速比/reduction ratio	≤10	L ₁ =72.5
减速比/reduction ratio	>10	L ₂ =96.5

40/60YS/YR/YT/YB/YF03


组合:电机+中间减速箱+标准减速机(减速比:1:200~1800) 重量:4.6kg
Combination: motor+intermediate gearbox+standard gearbox (reduction ratio:1:200~1800), weight:4.6kg



序号 No.	电机类型 Motor type	A	B	C
1	YS/YR	276.5	125	320.5
2	YT	287.5	136	331.5
3	YB	311.5	160	355.5
4	YF	323.5	172	367.5


40/60YS/YR/YT/YB/YF04

组合:电机+带耳减速机(减速比:1:3~200)
重量:3.7kg
Combination: motor+eared gear (reduction ratio:1:3~200), weight:3.7kg



40/60YS/YR/YT/YB/YF05

组合:电机+中间减速箱+带耳减速机(减速比:1:200~1800) 重量:4.6kg
Combination: motor+intermediate gearbox+eared gear (reduction ratio:1:200~1800), weight:4.6kg



减速比/reduction ratio	≤10	L ₁ =75.5
减速比/reduction ratio	>10	L ₂ =99.5




外形尺寸 (CAD) DIMENSIONS

40/60YS/YR/YT/YB/YF06

组合:电机+直角中实减速箱(减速比:1:3~200)

重量:5.4kg

Combination: motor+right angle solid gearbox(reduction ratio:1:3~200), weight:5.4kg




40/60YS/YR/YT/YB/YF07

组合:电机+中间减速箱+直角中实减速箱

(减速比:1:200~1800) 重量:6.3kg


Combination: motor+intermediate gearbox+right angle solid gearbox (reduction ratio:1:200~1800), weight:6.3kg



40/60YS/YR/YT/YB/YF08

组合:电机+直角中空减速箱(减速比:1:3~200) 重量:5.3kg

Combination: motor+right angle hollow gearbox(reduction ratio:1:3~200), weight:5.3kg




40/60YS/YR/YT/YB/YF09

组合:电机+中间减速箱+直角中空减速箱

(减速比:1:200~1800) 重量:6.2kg

Combination: motor+intermediate gearbox+right angle hollow gearbox (reduction ratio:1:200~1800), weight:6.2kg







外形尺寸 (CAD) DIMENSIONS

90/120YS/YR/YT/YB/YF01

圆轴电机 重量:3kg

Round-axis motor, weight: 3kg





序号 No.	电机类型 Motor type	B
1	YS/YR	140
2	YT	151
3	YB	175
4	YF	187

90/120YS/YR/YT/YB/YF02

组合:电机+标准减速机(减速比:1:3~200) 重量:4.2kg

Combination: motor+standard gearbox (reduction ratio: 1:3~200), weight: 4.2kg





序号 No.	电机类型 Motor type	B	减速比 Reduction ratio	L
1	YS/YR	140	≤10	75.5
2	YT	151	>10	99.5
3	YB	175		
4	YF	187		

90/120YS/YR/YT/YB/YF03

组合:电机+中间减速箱+标准减速机(减速比:1:200~1800) 重量:5.1kg

Combination: motor+intermediate gearbox+standard gearbox (reduction ratio: 1:200~1800), weight: 5.1kg



序号 No.	电机类型 Motor type	B
1	YS/YR	140
2	YT	151
3	YB	175
4	YF	187





外形尺寸 (CAD) DIMENSIONS

90/120YS/YR/YT/YB/YF04

组合:电机+带耳减速箱(减速比:1:3~200) 重量:4.2kg

Combination: motor+eared gear (reduction ratio: 1:3~200), weight: 4.2kg





序号 No.	电机类型 Motor type	B	减速比 Reduction ratio	L
1	YS/YR	140	≤ 10	75.5
2	YT	151	> 10	99.5
3	YB	175		
4	YF	187		

90/120YS/YR/YT/YB/YF05

组合:电机+中间减速箱+带耳减速箱(减速比:1:200~1800) 重量:5.1kg

Combination: motor+intermediate gearbox+eared gear (reduction ratio: 1:200~1800), weight: 5.1kg




序号 No.	电机类型 Motor type	B
1	YS/YR	140
2	YT	151
3	YB	175
4	YF	187

90/120YS/YR/YT/YB/YF06

组合:电机+直角中实减速箱(减速比:1:3~200)

重量:6.2kg

Combination: motor+right angle solid gearbox (reduction ratio: 1:3~200), weight: 6.2kg




90/120YS/YR/YT/YB/YF07



组合:电机+中间减速箱+直角中实减速箱

(减速比:1:200~1800) 重量:7.1kg

Combination: motor+intermediate gearbox+right angle solid gearbox (reduction ratio: 1:200~1800), weight: 7.1kg





外形尺寸 (CAD) DIMENSIONS



90/120YS/YR/YT/YB/YF08



组合:电机+直角中空减速箱(减速比:1:3~200) 重量:6kg
Combination: motor+right angle hollow gearbox(reduction ratio:1:3~200),
weight:6kg



序号 No.	电机类型 Motor type	A	B	C
1	YSYR	291.5	140	335.5
2	YT	302.5	151	346.5
3	YB	326.5	175	370.5
4	YF	338.5	187	382.5

90/120YS/YR/YT/YB/YF09

组合:电机+中间减速箱+直角中空减速箱
(减速比:1:200~1800) 重量:6.9kg
Combination: motor+intermediate gearbox+right angle hollow gearbox
(reduction ratio: 1:200~1800), weight: 6.9kg




外形尺寸 (CAD) DIMENSIONS

140/200YS/YT/YB/YF01

圆轴电箱 重量:4.6kg


Round-axis motor, weight: 4.6 kg



140/200YS/YT/YB/YF02

组合:电机+标准减速机(减速比:1:3~200) 重量:6.8kg

Combination: motor+standard gearbox(reduction ratio:1:3~200),
weight:6.8kg





140/200YS/YT/YB/YF03

组合:电机+直角中实减速箱

减速比:1:3~200

重量:8.8kg

Combination: motor+right angle solid gearbox
reduction ratio: 1:3~200
weight: 8.8kg



序号 No.	电机类型 Motor type	A	B
1	YS	338	162
2	YT	354	178
3	YB	368	192
4	YF	390	214

140/200YS/YT/YB/YF04

组合:电机+直角中空减速箱

减速比:1:3~200

重量:8.6kg

Combination: motor+right angle hollow gearbox
reduction ratio: 1:3~200
weight: 8.6kg

